



PROVEN & TRUSTED SINCE 1952

FRYER & VENTLESS HOOD SUPPLIES

Fryer Cleaner/Degreaser (Boil-Out)

Item & Part No.	Image	Description
Fryer Boil-Out #72003 Case of (24) 6-oz Portion Packs		Easy to use fryer cleaner ... add 2 - 4 packets (depending on fryer size) to vat filled w/water ... heat for 30 mins @ 200°F ... removes oils, fats, carbon, calcium & baked-on grease. Can also be used as an overnight soak.

Filter Powder

Item & Part No.	Image	Description
Fryer Filter Powder #72004 Case of (60) 5-oz Portion Packs		Filter aid compound removes both solid and dissolved impurities from used oil to provide extended oil life. After filtering, your oil will be clear and clean. Improves both cooking performance and food quality. Easy to use pre-measured portion packets

Fryer Filter Paper

Item & Part No.	Image	Description
Fryer Filter Paper Part No. differs by size, see below 100 ct. Case		Paper filter media for use in the <i>Giles</i> fryer filtration systems ... 35-micron retention rating ... removes crumbs & fine cooking residue from cooking oil during filtering process.
60328	19-3/8" x 32-3/8"	EOF Series (<i>large banked fryer</i>)
60471	9-1/8" x 25-1/4"	EOF-14 Series ONLY (<i>equip. discontinued</i>)
60709	15-3/8" x 32-3/8"	EOF-20 Series (<i>small banked fryer</i>)
60810	15-1/2" x 21-3/8"	GEF & GGF Series
60818	17-1/8" x 24-1/8"	CF-401,560,720 fryers (<i>equip. discontinued</i>)
60819	16-1/4" x 24-1/4"	WOG, GBF-70, GBF-80G fryers
65871	8-9/32" x 21-7/8"	GBF-35/50 only
72002	11-1/2" x 16-9/16"	WOG-20MP fryers (<i>equip. discontinued</i>)

Product specifications and/or designs are subject to change without notice. Such revisions do not entitle the purchaser to corresponding changes, improvements, additions or replacements for previously purchased equipment.



GILES Food Service Equipment • ISO 9001-2015 Registered

PO Box 210247; 2750 Gunter Park Drive W; Montgomery, AL 36109 USA

334.272.1457 • Fax 334.239.4117 • Toll Free 800.554.4537 (US/Canada Only) • www.gfse.com • Email: services@gfse.com

Rel. Date: 01/2017, Rev. Date: 4/01/2024

Fryer Accessories - Baskets & Screens

Item & Part No.	Image	Description
GEF-560 Fry Basket #33703		Stainless steel, welded wire; electro-polished. Fits automatic Basket Lift. Approximate capacity 19 lbs. bone-in, 8-way cut chicken.
GEF/GGF-400 Fry Basket #33718		Stainless steel, welded wire; electro-polished. Fits automatic Basket Lift. Approximate capacity 14 lbs. bone-in, 8-way cut chicken.
GEF/GGF-720 Fry Basket #91811		Stainless steel, welded wire; electro-polished. Fits automatic Basket Lift. Approximate capacity 24 lbs. bone-in, 8-way cut chicken.
GBF-35/50 Fry Basket, Large #41264		Welded steel wire basket; nickel plated. 12-3/8" x 12" w/hanger hook. Use as single basket in vat.
GBF-35/50 Fry Basket, Regular #41040		Welded steel wire basket; nickel plated. 6-1/2" x 13-1/4" w/hanger hook.
WOG-20MP Fry Basket #78601		Welded steel wire basket; nickel plated. 5-7/16" x 11" w/front hook.
WOG-MP Fry Basket #70178		Welded steel wire basket; nickel plated. 8-11/16" x 16-9/16" w/front hook.
EOF-20, 10-10 ... GBF-70 & 80G Fry Basket, Blue Handle #70420		Welded steel wire basket; nickel plated. 8-3/8" x 17-1/8" w/double front hooks. Blue vinyl coated handle ... Front barrel spring handle.

Product specifications and/or designs are subject to change without notice. Such revisions do not entitle the purchaser to corresponding changes, improvements, additions or replacements for previously purchased equipment.








GILES Food Service Equipment • ISO 9001-2015 Registered

PO Box 210247; 2750 Gunter Park Drive W; Montgomery, AL 36109 USA

334.272.1457 • Fax 334.239.4117 • Toll Free 800.554.4537 (US/Canada Only) • www.gfse.com • Email: services@gfse.com

FRYER & VENTLESS HOOD SUPPLIES

Fryer Accessories - Baskets & Screens (continued)

Item & Part No.	Image	Description
EOF-24 Fry Basket #70421		Welded steel wire basket; nickel plated. 11" x 22-3/4" w/double front hooks. Vinyl coated handle ... Front barrel spring handle.
Scoop Basket #70430		Welded steel wire basket scoop; nickel plated. 12-3/8" x 12-5/16". Vinyl coated handle, 19-1/2" long. For unloading batch cooked product from vat.
CF-400 Fry Basket #38633		Welded, perforated stainless steel, w/ bail handle, for <i>out-of-production</i> Giles fryers CF-400 elect. & CF-400G gas. <u>Long leadtime item</u>
CF-500 Fry Basket #38644		Welded, perforated stainless steel Fry Basket, for <i>out-of-production</i> Giles fryer CF-500 elect. <u>Long leadtime item</u>
Ribbed Screen EOF Landing Table #70085		EOF Landing Table drain screen. Stainless steel ribbed grate; electro-polished. 24-9/16" x 28-1/8"
EOF-20 Vat Crumb Screen w/Handles #70083		Vat Crumb Screen, 20" vat, EOF banked fryer & EOF-20 series. Welded stainless steel wire; electro-polished. 19-1/2" x 19-1/2", features handles for easy placement and removal.
EOF 10-10 Vat Crumb Screen w/Handles #71110		Fryer Crumb Screen, fits inside 10" Cook Vat of the 10-10 Unit of EOF Banked Fryers. Welded stainless steel wire; electro-polished. 9-1/2" x 19-1/2", handles for easy placement and removal.



Product specifications and/or designs are subject to change without notice. Such revisions do not entitle the purchaser to corresponding changes, improvements, additions or replacements for previously purchased equipment.

GILES Food Service Equipment • ISO 9001-2015 Registered





PO Box 210247; 2750 Gunter Park Drive W; Montgomery, AL 36109 USA

334.272.1457 • Fax 334.239.4117 • Toll Free 800.554.4537 (US/Canada Only) • www.gfse.com • Email: services@gfse.com

Fryer Accessories - Baskets & Screens (continued)

Item & Part No.	Image	Description
GEF/GGF-720 Fry Basket w/Bail Handle #99188 <i>Optional</i>		Stainless steel, welded wire; electro-polished. Fits automatic Basket Lift. Approximate capacity 24 lbs. bone-in, 8-way cut chicken. Fitted with bail handle.
Crumb Screen, Filter Pan Insert, EOF #36212 <i>Optional</i>		EOF Filter Pan Crumb Catcher Insert; fits over filter pan; catches large crumbs & debris ... keeps filter pan tailings lower to improve filter efficiency.

Miscellaneous Supplies

Item & Part No.	Image	Description
Heat Lamp Old-Style GHM Deli-case #25356		Heat Lamp, 150W, 130V, coated shatter-proof. Fits old-style heat lamp version GHM Delicase.
Dunking Basket, Hand-Held BBT & BBT-O #95410		Hand-held Dunking Basket for Giles Breeding & Batter Tables. Hangs over batter dip pan when not in use ... holds fresh chicken product while dipping into batter dip mixture.
Plastic Food Box Lid White #74700		Plastic Lid for 18" x 26" Food Box. White
Colander, Clear Plastic #71725		Colander 18" x 26" x 5", Clear PC Use for draining fresh chicken prior to breading application ... NSF listed, dishwasher safe.

Product specifications and/or designs are subject to change without notice. Such revisions do not entitle the purchaser to corresponding changes, improvements, additions or replacements for previously purchased equipment.






GILES Food Service Equipment ▪ ISO 9001-2015 Registered

PO Box 210247; 2750 Gunter Park Drive W; Montgomery, AL 36109 USA

334.272.1457 ▪ Fax 334.239.4117 ▪ Toll Free 800.554.4537 (US/Canada Only) ▪ www.gfse.com ▪ Email: services@gfse.com

Rel. Date: 01/2017, Rev. Date: 4/01/2023

General Fryer Supplies & Tools

Item & Part No.	Image	Description
Scrub Brush, Polyester (Boil-Out) #71727		Utility Scrub Brush. Polyester bristles. NOT HEAT RESISTANT...NOT FOR USE IN HOT OIL 20" long; 3" wide head Use to scrub and clean fry pots during "boil-out" cleaning.
Element Brush, L-Tip #73233		HEAT RESISTANT , 1-3/8" dia. round, stiff bristle brush. L-tip for cleaning between & under fryer heating elements. Molded plastic handle, NSF approved.
Drain Brush, Heat Resistant #71025		HEAT RESISTANT , 1-3/8" dia. round, stiff bristle, 28" Brush. For cleaning crumbs & debris from fryer pot drain. Molded plastic handle, NSF approved.
Drain Brush, Poly Bristle #71024		Polyester, 1-3/8" dia. round, stiff bristle, 28". NOT HEAT RESISTANT Molded plastic handle, NSF approved. For cleaning crumbs & debris from fryer pot drain.
Scrub Brush, Heat Resistant #71100		Utility Scrub Brush, Red Handle. HEAT RESISTANT 20" long; 3" wide head. Use during hot oil filtering cycle to clean inside pot surfaces and elements. Pistol-grip handle, break-resistant, "soak-proof".






Product specifications and/or designs are subject to change without notice. Such revisions do not entitle the purchaser to corresponding changes, improvements, additions or replacements for previously purchased equipment.

GILES Food Service Equipment • ISO 9001-2015 Registered

PO Box 210247; 2750 Gunter Park Drive W; Montgomery, AL 36109 USA

334.272.1457 • Fax 334.239.4117 • Toll Free 800.554.4537 (US/Canada Only) • www.gfse.com • Email: services@gfse.com

General Fryer Supplies & Tools (continued)

Item & Part No.	Image	Description
Scrub Brush, Nylon #71175		Utility Scrub Brush, White Handle. <u>NOT HEAT RESISTANT</u> 20" long; 3" wide head. Use for general cleaning. Pistol-grip handle, break-resistant, "soak-proof".
Crumb Scoop #30059		Use to clean debris & filter residue from the surface of filter media in pan after cooking oil filtering cycles.
Stirring Utensil (Stir Paddle) #77775		Use to stir oil during pre-heating to create an even cooking temperature throughout, and to separate product while frying to promote even cooking. Nickel plated, welded steel, 32" long.
Tool Caddy, GEF/GGF/GBF #71522		 Fryer add-on accessory w/ mounting bracket. Easily attaches to GEF/GGF/GBF fryer cabinets or wall ... provides space for storing up to nine different tools or accessories right at the fryer, within reach ... put an end to searching for tools ... save time, improve efficiency. <u>DOES NOT INCLUDE FRYER TOOLS</u>

Product specifications and/or designs are subject to change without notice. Such revisions do not entitle the purchaser to corresponding changes, improvements, additions or replacements for previously purchased equipment.







GILES Food Service Equipment ▪ ISO 9001-2015 Registered

PO Box 210247; 2750 Gunter Park Drive W; Montgomery, AL 36109 USA

334.272.1457 ▪ Fax 334.239.4117 ▪ Toll Free 800.554.4537 (US/Canada Only) ▪ www.gfse.com ▪ Email: services@gfse.com

Rel. Date: 01/2017, Rev. Date: 4/01/2024

FRYER & VENTLESS HOOD SUPPLIES


Ventless Hood & Fryer Filters - Grease Baffle		
Item & Part No.	Image	Description
Baffle Filter, Double-sided #41043		Stainless steel, double-sided, Baffle Grease Filter. High efficiency performance. Hinged for cleaning. For GVH-C & GVH-F Model Ventless Hoods Only.
Baffle Filter, 12" x 16" OVH-10 #45096		Stainless steel, Baffle Grease Filter. 12" X 16" For OVH-10 Model Ventless Hoods Only. <u>OVH-11 has been discontinued.</u>
Baffle Filter, 16" x 16" WOG-20MP-VH #45076		Stainless steel, Baffle Grease Filter. 16" X 16" Fits WOG-20MP-VH Model Ventless Fryer Only. <u>Equip. is out of production</u>
Baffle Filter, 20" x 20" #42300		Stainless steel, Baffle Grease Filter. 20" X 20" <ul style="list-style-type: none"> • GEF-VH; GBF-VH; WOG-MP-VH Ventless Fryers • POVH, FSH-2 & 2A-99, FSH- 5 & 6 Ventless Hoods.
Baffle Filter, 16" x 20" #40943		Stainless steel, Baffle Grease Filter. 16" X 20" Fits FSH-3.5 & 4 Model Ventless Hoods Only <u>Equip. currently out of production</u>
Baffle Filter 12-7/16" x 20-1/4" #41491		Stainless steel, Baffle Grease Filter. 12-7/16" X 20-1/4" Fits GBF-50-VH Ventless Fryer <u>Only.</u>

Product specifications and/or designs are subject to change without notice. Such revisions do not entitle the purchaser to corresponding changes, improvements, additions or replacements for previously purchased equipment.




Ventless Hood & Fryer Filters - Grease Baffle (continued)

Item & Part No.	Image	Description
Baffle Filter, 8" x 11-3/8" GXF-S <u>ONLY</u> #41173		Stainless steel, Baffle Grease Filter. 8" X 11-3/8" Fits GXF-S Countertop Ventless Fryer <u>Only</u> . <u>Equip. is currently out of production, availability limited.</u>
Baffle Filter, 5" x 12" GXF-F ONLY #41212		Stainless steel, Baffle Grease Filter. 5" X 12" Fits GXF-F Countertop Ventless Fryer <u>Only</u> . <u>Equip. is currently out of production, availability limited.</u>

Ventless Hood Filters - Pre-Filter

Item & Part No.	Image	Description
Pre-Filter, 12" x 20" #91707		Fiber-fill Pre-filter for large Hoods. Preliminary filter installed prior to the Electronic Air Cleaner. 12" X 20" For FSH-3.5 / 4 / 5 / 6 Model Ventless Hoods. <u>Equip. is currently out of production</u>

Ventless Hood & Fryer Filters - Electronic Air Cleaner Cell, EAC

Item & Part No.	Image	Description
EAC Filter Cell, 16" #22360		Electronic Air Cleaner Collector Cell, 16". • OVH-10 (<u>OVH-11 has been discontinued</u>)
EAC Filter Cell, 16" Modified for WOG-20MP-VH #98195		Electronic Air Cleaner Collector Cell, 16", Modified. • WOG-20MP-VH Ventless Fryer <u>ONLY</u> <u>Equip. is out of production</u>
EAC Filter Cell, 20" #93302		Electronic Air Cleaner Collector Cell, 20". Pull handle & airflow direction plate on end. • GVH-C / F Ventless Hoods <u>Only</u> .

Product specifications and/or designs are subject to change without notice. Such revisions do not entitle the purchaser to corresponding changes, improvements, additions or replacements for previously purchased equipment.





GILES Food Service Equipment • ISO 9001-2015 Registered

PO Box 210247; 2750 Gunter Park Drive W; Montgomery, AL 36109 USA


334.272.1457 • Fax 334.239.4117 • Toll Free 800.554.4537 (US/Canada Only) • www.gfse.com • Email: services@gfse.com

FRYER & VENTLESS HOOD SUPPLIES

Ventless Hood & Fryer Filters - Electronic Air Cleaner Cell, EAC (continued)

Item & Part No.	Image	Description
EAC Filter Cell, 16" #93305		Electronic Air Cleaner Collector Cell, 16". • GBF-50-VH Ventless Fryer <u>ONLY</u>
EAC Filter Cell, 20" #20520		Electronic Air Cleaner Collector Cell, 20". • GEF-VH; GBF-VH; WOG-MP-VH Ventless Fryers • POVH, FSH-2 & 2A-99, FSH-3.5 / 4 / 5 / 6 Ventless Hoods.
EAC Filter Cell, 20" (Left-Side Only) #20521		Electronic Air Cleaner Collector Cell, 20". Fits ONLY in the <u>Left-side filter compartment</u> FSH-3.5 / 4 / 5 / 6 Ventless Hoods.
EAC Filter Cell Spray Cleaner/Degreaser #41510		Convenient foaming spray cleaner/degreaser for daily cleaning of Electronic Air Cleaner cells. Case of [12] 20-oz cans

Ventless Hood Filters, HEPA Filter (specific units only)

Item & Part No.	Image	Description
Filter, HEPA 12-1/2" x 20" #41254		Optional HEPA Filter for specific Ventless Hoods. <u>Only for Hoods designed & manufactured specifically for HEPA Filter.</u> 12-1/2" x 20"

Product specifications and/or designs are subject to change without notice. Such revisions do not entitle the purchaser to corresponding changes, improvements, additions or replacements for previously purchased equipment.








GILES Food Service Equipment • ISO 9001-2015 Registered

PO Box 210247; 2750 Gunter Park Drive W; Montgomery, AL 36109 USA

334.272.1457 • Fax 334.239.4117 • Toll Free 800.554.4537 (US/Canada Only) • www.gfse.com • Email: services@gfse.com

Rel. Date: 01/2017, Rev. Date: 4/01/2024

Ventless Hood & Fryer Filters - Activated Charcoal

Item & Part No.	Image	Description
Filter, Charcoal 12-3/8" x 20" #30248		Activated Charcoal Filter. Use for various Ventless Hoods & Fryers to help control cooking aromas in recirculated air. <ul style="list-style-type: none"> • GEF-VH; WOG-MP-VH Ventless Fryers • FSH-2 / 2A-99; FSH-3.5 / 4; GVH-C / F; POVH Ventless Hoods
Filter, Charcoal 12-3/8" x 16" #31137		Activated Charcoal Filter. <u>For out of production Ventless Fryer</u> ... helps control cooking aromas in recirculated air. <ul style="list-style-type: none"> • CF-200-VH Ventless Fryer
Filter, Charcoal 12-3/8" x 16" #31963		Activated Charcoal Filter. Use for various Ventless Hoods and Fryers to help control cooking aromas in recirculated air. <ul style="list-style-type: none"> • WOG-20MP-VH Ventless Fryer • GBF-50-VH Ventless Fryer • OVH-10 Ventless Hood
Filter, Charcoal 12-1/16" x 20" #32056		Activated Charcoal Filter. Use for various Ventless Hoods and Fryers to help control cooking aromas in recirculated air. <ul style="list-style-type: none"> • FSH- 5 / 6 Ventless Hoods
Filter, Charcoal <u>Fiber</u> 12-3/8" x 16" #41211		Activated <u>Charcoal Fiber</u> Filter for use in specific Ventless Hood applications to help control cooking aromas in recirculated air. <ul style="list-style-type: none"> • OVH-11-FB Ventless Hood • OVH-10-HEPA Ventless Hood
Filter, Charcoal <u>Fiber</u> 8" x 8" x 2" GXF Fryers ONLY #41389		Activated <u>Charcoal Fiber</u> Filter. Use in GXF Model Countertop Fryers to help control cooking aromas in recirculated air. <ul style="list-style-type: none"> • GXF-S & GXF-F Fryers <p><u>These models are out of production, availability limited</u></p>
Filter, Charcoal <u>Fiber</u> 12-3/8" x 20" x 2" GXF Fryers ONLY #94484		Activated <u>Charcoal Fiber</u> Filter. Used with HEPA-style FSH-2 model Hoods


Product specifications and/or designs are subject to change without notice. Such revisions do not entitle the purchaser to corresponding changes, improvements, additions or replacements for previously purchased equipment.

GILES Food Service Equipment ▪ ISO 9001-2015 Registered

PO Box 210247; 2750 Gunter Park Drive W; Montgomery, AL 36109 USA

334.272.1457 ▪ Fax 334.239.4117 ▪ Toll Free 800.554.4537 (US/Canada Only) ▪ www.gfse.com ▪ Email: services@gfse.com

FRYER & VENTLESS HOOD SUPPLIES

<i>Ventless Hood Filters - Polysorb Filter (specific units only)</i>		
Item & Part No.	Image	Description
Filter, Polysorb 12-3/8" x 16" #90025		Polyester Fiber Filter for use in certain Ventless Hood applications. Does not help control aroma in recirculated air. 12-3/8" x 16"

Product specifications and/or designs are subject to change without notice. Such revisions do not entitle the purchaser to corresponding changes, improvements, additions or replacements for previously purchased equipment.

GILES Food Service Equipment ▪ ISO 9001-2015 Registered

PO Box 210247; 2750 Gunter Park Drive W; Montgomery, AL 36109 USA

334.272.1457 ▪ Fax 334.239.4117 ▪ Toll Free 800.554.4537 (US/Canada Only) ▪ www.gfse.com ▪ Email: services@gfse.com